Electronic Design 1973 Annual Index of Articles

Circuits & Circuit Theory

A/d converter offers fastest throughput for 10-bit resolution, but it'll cost you...PF, ED 10, p. 113.

Acoustic-wave filters improve radar ...ART, ED 14, p. 56

Additional codes extend full-scale range of DAC...IFD, ED 18, p. 144.

Ambiguous contact closures eliminated in sequential timers...IFD, ED 6, p. 138

Analog sorting network ranks inputs by amplitude and allows selection...IFD, ED 2, p. 72

Analyzing the dynamic accuracy... ART, ED 19, p. 80

BCD decimal-point location...ART, ED 16, p. 80

BCD division...ART, ED 15, p. 86

BCD logarithms and exponentials... ART, ED 18, p. 118

BCD: Logic of many uses...ART, ED 13, p. 90

BCD multiplication...ART, ED 14, p. 62

BCD square root...ART, ED 17, p. 66

BCD trig and hyperbolic functions ...ART, ED 19, p. 68

Banish inductors from resonant circuits...ART, ED 17, p. 72

Boost a/d rates with staggered operation...ART, ED 4, p. 54

Build stable, compact narrowband circuits...ART, ED 3, p. 60

CMOS a/d is lean on power, yet it delivers 12 bits...PF, ED 25, p. 190

Cascode differential pairs...ART, ED 6, p. 120

'Celerate' the digital stepping motor ...ART, ED 1, p. 84

Check coil windings for correct turns...ART, ED 20, p. 84

Circuit applies power at precise phase angle...IFD, ED 11, p. 168

Control 10 A with a hybrid diode-and-SCR unit in a TO-3...PF, ED 10, p. 130

Department key

ART	Technical Article
IFD	Idea for Design
NEWS	News
PF	Product Feature
SR	Special Report

Countdown technique simplifies BCD-to-binary conversion circuitry...IFD, ED 8, p. 130

Cut reference junctions loose... ART, ED 11, p. 156

D/a converter design modification permits operation over a specified output range...IFD, ED 5, p. 80

Dc motor generates own tach signal ...NEWS, ED 24, p. 28

Design versatile d/a converters... ART, ED 2, p. 66

Designers' touch needed to exploit acoustic surface waves to the hilt ...NEWS, ED 16, p. 35

Determine noise of dc/dc converters ...ART, ED 20, p. 100

Digitally programmable oscillator selects frequency in integer units from one to 15...IFD, ED 25, p. 140

Diode bridge and current source provide current limiting for bipolar supplies...IFD, ED 25, p. 144

Don't forget d/a converter tempco! ...ART, ED 9, p. 130

Double clocking cuts off-the-shelf registers to custom sizes...IFD, ED 11, p. 166

Down, down go the prices for op-amp power supply...PF, ED 17, p. 112

Dual-output dc-to-dc supplies have 1 mV max output noise...PF, ED 25, p. 157

Ease multiplexing and a/d conversion...ART, ED 8, p. 84

Electronic controller resolution improved with an equilibrium sustaining mode...IFD, ED 13, p. 130

Expand counter capability...ART, ED 26, p. 68

Fast clock helps convert 2-phase encoder signals to positional data ...IFD, ED 20, p. 112

FOCUS on A/D and D/A converters...SR, ED 1, p. 56

FOCUS on Analog-function modules ...SR, ED 21, p. 64

FOCUS on Power supplies...SR, ED 25, p. 58

Foolproof way to sequencer design ...ART, ED 10, p. 76

Get perfect linearity in CRTs... ART, ED 1, p. 76

Get true-rms ac equivalents regardless of waveshape...PF, ED 24, p. 240

Get up to 40 mA at ±10 V from multiplying DACs...PF, ED 15, p. 116

Go active for sonar or radar filters ...ART, ED 9, p. 126

Ground lead provides inhibit function for TTL inverters...IFD, ED 9, p. 144

Improve single-slope a/d accuracy ...ART, ED 2, p. 58

Isolation amplifier provides 160-dB isolation and gain, too...PF, ED 21, p. 132

Join two unipolar d/a converters and get bipolar operation...IFD, ED 3, p. 74

Kilovolt supply circuit fashioned from cheap, low-voltage parts... NEWS, ED 6, p. 36

Latest 12-bit DAC shrinks size and price to new lows...PF, ED 11, p. 186

Lift afc discriminator performance ...ART, ED 7, p. 48

Line-voltage control technique improves resolution, lowers parts cost...IFD, ED 23, p. 138

Log-ratio module handles either voltages or currents...PF, ED 11, p. 194

Low-temperature-coefficient current source becomes ultra-compliant

with two resistors...IFD, ED 12, p. 108
Minimize the effects of time delay ...ART, ED 15, p. 78
Minor changes convert an astable multivibrator into a sweep generator...IFD, ED 3, p. 72
Modified current-limiter circuit ensures turn-on of power supply with constant-current loads... IFD, ED 23, p. 128
Monolithic s/d converter boasts high reliability...PF, ED 12, p. 114
Multifunction log module achieves 0.25% accuracy...PF, ED 21, p. 131
Multiple-output NAND networks... ART, ED 23, p. 98
Multiplexer technique solves X-out-of-Y bit pattern-recognition... IFD, ED 2, p. 70
Negative feedback gives ultra-flat filters without altering the selectivity...IFD, ED 10, p. 106
Nonlinear low-pass filter exhibits zero phase shift...PF, ED 2, p. 78
Optical Schmitt reduces photodetector uncertainties...IFD, ED 20, p. 114
Phase-locking increases range of wide-range phase controller... IFD, ED 16, p. 96
Positive voltage changed into negative, and no transformer is required...IFD, ED 11, p. 164
Program gives FET model from specs ...ART, ED 12, p. 92
Protect solid-state power rectifiers ...ART, ED 6, p. 106
Resistive network converts limit detector to movable window operation...IFD, ED 6, p. 144
Self-correcting ring counter requires no external gates...IFD, ED 9, p. 138
Simple dc current controller adapts easily to any supply voltage and load current...IFD, ED 14, p. 80
Simplify sequencers with an improved counter...ART, ED 18, p. 124
Solve LC network transfer functions ...ART, ED 21, p. 96
Stretch counter size...ART, ED 25, p. 104
Thermal converter raises the accuracy of rms converter over wide input range...PF, ED 9, p. 166
Toroid and photo-SCR prevent ground loops in high-isolation biological pulser...IFD, ED 13, p. 128
Trade your Karnaugh maps...ART, ED 21, p. 88
Two resistors remove limiting effects of input voltages on current-mode amplifiers...IFD, ED 23, p. 136
Use a 723 as a switching regulator and get half an amp from a plastic TO-5 transistor...IFD, ED 12, p. 106
V-F and F-V modules convert signals over 100-kHz range...PF, ED 11, p. 190

Subject Listing

Circuits & Circuit Theory
Communications, Microwaves & Lasers
Components
Computers & Data Processing
Consumer Electronics
Displays
Electro-Optics
General Industry
Industrial Electronics
Management
Materials & Packaging
Medical Electronics
Military & Aerospace
Semiconductors
Test & Measuring

Variable-speed, synchronous-motor control operates from 12-V battery or 120-V ac line...IFD, ED 20, p. 110
Versatile circuit detects change in voltage or frequency...IFD, ED 24, p. 192
When d/a converter glitches rear... ART, ED 22, p. 100
Write a Fortran wire-listing program ...ART, ED 11, p. 140
8-bit d/a converter module settles to 0.4% within 15 ns...PF, ED 2, p. 77
14-bit conversion with sign in 1 μs given by a/d unit...PF, ED 5, p. 88

Communications, Microwaves and Lasers

Advances in MIC design reported at conference...NEWS, ED 22, p. 27
Approaching Intelsat traffic jam raises problem in satellite design ...NEWS, ED 21, p. 40
Automate your Smith Chart plots... ART, ED 18, p. 130
Bidirectional coupler comes in 14-pin DIP at low cost...PF, ED 13, p. 142
CO_2 laser heat gives better glass fibers...NEWS, ED 20, p. 20
Calculate large-signal behavior... ART, ED 23, p. 90
Challenge of linking satellites to more and more ground terminals...SR, ED 6, p. 70
Comsat planning 2 new satellites... NEWS, ED 7, p. 20
Extra line feeds speed telescope's data input...NEWS, ED 1, p. 28
FM-cw radar detects atmospheric pressure...NEWS, ED 15, p. 24
Ferrite toroids in hybrid ICs improve power efficiency and reduce heating...IFD, ED 11, p. 170
IBM trying new way to build X-ray laser...NEWS, ED 25, p. 26
'Interference-proof' portable radio is easy on the draw: only 50 mW... NEWS, ED 21, p. 42
It's a tree...a pole...a man; No! A short-range hf antenna... NEWS, ED 26, p. 52
Lab advances giving GaAs FET edge over bipolar for microwaves... NEWS, ED 6, p. 29
'Ladar' concept proved in experimental system...NEWS, ED 19, p. 39
Laser control system operates vehicles in hazardous areas... NEWS, ED 23, p. 32
Laser point-of-sale system speeds checkout...NEWS, ED 23, p. 36
Laser-scanner system produces color pictures on black-white film... NEWS, ED 12, p. 22
Laser system tracks where radar can't...NEWS, ED 12, p. 34
Low-cost, low-power laser: It's here, there, everywhere...NEWS, ED 2, p. 24
Low-loss method of laser transmission discovered...NEWS, ED 19, p. 23
Low-noise paramp reaches 65 GHz ...NEWS, ED 14, p. 30
Major advance in OICs hastens the day of optic communications... NEWS, ED 14, p. 26
Microwave transistor employs Gunn effect...NEWS, ED 4, p. 26
Monitor determines caller's phone number...NEWS, ED 20, p. 20
New material promises stripline advantages...NEWS, ED 4, p. 25
Processor for radar made more versatile...NEWS, ED 7, p. 19
Quartz Q-switch modulates high power laser...NEWS, ED 10, p. 42
RCA achieves mass holography in iron-doped lithium niobate... NEWS, ED 25, p. 32
Remote radar system raises harbor safety...NEWS, ED 20, p. 33
Researchers see laser fusion as safe, cheap power of future...NEWS, ED 22, p. 38
Search for X-ray laser is expanding ...NEWS, ED 16, p. 20
Single laser rod yields 4 beams for high-speed holographic work... NEWS, ED 7, p. 26
Thermal profiler operates from ultraviolet to far IR...PF, ED 10, p. 140

Transistors and solid-state sources spur new commercial applications ...SR, ED 18, p. 72
Tunable laser widens its reach in IR region...NEWS, ED 10, p. 26
U.S. continues search for laser fusion system...NEWS, ED 4, p. 25
U.S. developing a super-efficient laser...NEWS, ED 13, p. 58
Ultra-broadband amplifiers deliver gain of 26 dB...PF, ED 9, p. 154
Varactor-tuned oscillators cut size, weight to new lows...PF, ED 19, p. 104
Waveguide coupler developed for OICs...NEWS, ED 15, p. 24
Wide-angle laser receiver has low noise and high sensitivity... NEWS, ED 21, p. 36
2 developments spur laser communications...NEWS, ED 13, p. 25
4.5-to-5.3-GHz source features 'frequency-agile' phase locking... PF, ED 6, p. 98
6-beam laser setup detects intruders ...NEWS, ED 17, p. 20
$30 double-balanced mixer lists 1-GHz range in miniature package ...PF, ED 6, p. 164
400 W average power reported with new inorganic liquid laser... NEWS, ED 18, p. 25

Components

Better transducer sought for automobiles...NEWS, ED 12, p. 20
CV transformer holds output to 0.5% over wide load, line, frequency changes...PF, ED 6, p. 147
FOCUS on Fixed passive components ...SR, ED 12, p. 56
FOCUS on Piezoelectric crystals and devices...SR, ED 17, p. 44
FOCUS on Small motors...SR, ED 20, p. 52
Green LED production spurred by a new process at Ferranti...NEWS, ED 12, p. 36
Magnetic semi urged to widen automation...NEWS, ED 12, p. 19
Monsanto cuts price of non-red LEDs...NEWS, ED 21, p. 28
Nickel-cadmium battery takes fast, fast charge...NEWS, ED 11, p. 30
Offbeat connector protects circuits from lightning...NEWS, ED 4, p. 37
Piezoelectric relay runs on only 1 W of power...NEWS, ED 20, p. 19
Pressure sensor defies 10-g vibration...NEWS, ED 3, p. 36
Protect against transients with clamping/crowbars...PF, ED 18, p. 96
Solid-state relays are finding gradual acceptance—at last...NEWS, ED 19, p. 26
Ten-year chemical battery could power future heart pacemakers... NEWS, ED 23, p. 66
Time-delay relay repeats cycles to 0.1% or better...PF, ED 11, p. 192
With something old, a bit of new, photosensors are taking off... NEWS, ED 26, p. 34

Computers & Data Processing

Breadboard active filters at a computer...ART, ED 13, p. 104
CAD methods for ICs are called inadequate...NEWS, ED 26, p. 32
CMOS data logger records with 900 mW, idles on 10 μW...PF, ED 6, p. 90
CRT terminal gives sophistication at low cost...NEWS, ED 8, p. 142
Canada claims a digital-data 'first' ...NEWS, ED 7, p. 31
Changes in architecture are giving users more computer at less cost ...SR, ED 11, p. 58
Clear the hurdles of microprocessors ...ART, ED 20, p. 76
Consider in-house time-sharing... ART, ED 11, p. 144
Core and wire memories facing a challenge...NEWS, ED 9, p. 32
Data networks putting the vast power of computers at fingertips of everyman...SR, ED 11, p. 108
Desk-top computer cuts price by nearly 50%...NEWS, ED 22, p. 27
Desk-top computer uses PL/I language...NEWS, ED 3, p. 19
Digitize the X-Y coordinates of video signals into 8 bits...PF, ED 25, p. 153
Editing problems with your mini?... ART, ED 11, p. 152
European data traffic headed for huge rise...NEWS, ED 14, p. 20
Flat-stacked tape said to combine reel and continuous-loop benefits ...NEWS, ED 9, p. 46
Get accurate Fast Fourier Transforms ...ART, ED 10, p. 84
HP introduces advanced version of its model 35...NEWS, ED 3, p. 20
How to build a microcomputer... ART, ED 19, p. 60
How to increase computer size... ART, ED 11, p. 148
IBM puts entire disc system in one removable cartridge...NEWS, ED 8, p. 57
IBM reported building 'electronic notebook'...NEWS, ED 3, p. 19
Interactive design takes another step forward...NEWS, ED 8, p. 26
Interdata, trying harder, offers 2 new mini systems...NEWS, ED 21, p. 27
It's a 40-billion bit ROM, it's a TV programmer—it's Disco-Vision! ...NEWS, ED 3, p. 35
LED-and-photodiode blend yields first reprogrammable logic array... NEWS, ED 15, p. 36
Line printer for minicomputer offers high speed at low cost...PF, ED 7, p. 92
Medium-scale computer announced by Univac...NEWS, ED 23, p. 28
Memories turn to new materials, but core hangs on as the old reliable ...SR, ED 11, p. 70
Microprocessor or Random Logic? ...ART, ED 18, p. 106
Microprocessors finding growing role between calculator chip and minis...SR, ED 11, p. 80
Microprogramming: More 'in' than ever...ART, ED 17, p. 58
Minicalculator to become 'major market'...NEWS, ED 2, p. 22
Minicomputer interface card speeds data at 1 M word/sec...PF, ED 24, p. 223
Modular family lets you build your own digital sequences...PF, ED 21, p. 140
Multiplexer converts BCD to serial ASCII characters...IFD, ED 16, p. 94
New minicomputers: Faster, sophisticated and a choice of MOS or bipolar memories...NEWS, ED 1, p. 32
New monitor system for word processor...NEWS, ED 10, p. 26
New small calculator and new chip available...NEWS, ED 13, p. 26
New tricks in hardware are making it easier to improve the software ...SR, ED 11, p. 100
Next: A programmable HP pocket calculator...NEWS, ED 25, p. 25
Offensive against IBM shapes up in Europe...NEWS, ED 6, p. 25
Optical isolation of data bus simplifies logic design and eliminates noise...IFD, ED 25, p. 138
Opto-isolators replace relays for the injection of time-mark signals... IFD, ED 26, p. 110
Printers with CRTs speed data handling...NEWS, ED 11, p. 30
Program uses convolution technique to compute linear network output...IFD, ED 15, p. 102
Proliferous peripherals: They come fast, slow, versatile and with 'brains'...SR, ED 11, p. 88
Push for hardware and software power...SR, ED 11, p. 56
Rockwell slide rule to make its debut...NEWS, ED 18, p. 25
Rugged disc-memory system accesses data in only 5 ms...PF, ED 11, p. 177
Serial-data modules simplify automation of process measurement and control...PF, ED 7, p. 94
Simple algorithm computes square roots on a four-function calculator...IFD, ED 15, p. 104

Simplify minicomputer maintenance . . . ART, ED 16, p. 86
Speed your serial printer . . . ART ED 3, p. 54
'Super disc' can store over six billion bytes . . . NEWS, ED 22, p. 28
Synthesizer produces speech with 100-bit/s input data . . . PF, ED 11, p. 175
Tape and disc share package and electronics . . . PF, ED 14, p. 83
That lowly calculator is turning into a vest-pocket computer . . . NEWS, ED 13, p. 28
Thermal printer upstages mechanical units for long, unattended operation . . . PF, ED 25, p. 151
Used computers offer big savings to buyers . . . NEWS, ED 4, p. 26
Using processors to solve today's and tomorrow's problems . . . SR, ED 6, p. 72
World's biggest computer show aims at drawing designers and end users . . . SR, ED 11, p. 118
2 desk-top calculators announced by Tektronix . . . NEWS, ED 16, p. 19
16-bit computer smaller than a hand . . . NEWS, ED 9, p. 31
16-bit minicomputer costs under $1000 . . . PF, ED 10, p. 118

Consumer Electronics

Acoustic-wave filters studied for TV use . . . NEWS, ED 23, p. 28
BART system problems under close scrutiny . . . NEWS, ED 1, p. 28
Beam switching cuts landing-system costs . . . NEWS, ED 21, p. 28
Charge-transfer camera designed for home TV . . . NEWS, ED 22, p. 27
Coding symbol to spur grocery electronics . . . NEWS, ED 9, p. 31
Color television swinging to in-line tubes as complex ICs widen consumer market . . . NEWS, ED 1, p. 34
Consumer electronics adding sophistication . . . NEWS, ED 13, p. 25
Electronic watches: A big step forward . . . NEWS, ED 3, p. 19
Electronics for cars said to pose bigger challenge than space work . . . NEWS, ED 7, p. 28
Electronics for watches: Packages get smaller . . . NEWS, ED 17, p. 19
Flammability ratings are revised by UL . . . NEWS, ED 21, p. 28
How to change bulky, discrete circuits into their micro-chip equivalents . . . SR, ED 6, p. 72
Hydrogen fuel cells for cars passes tests . . . NEWS, ED 20, p. 19
Missile sync generator offers variable scan for TV systems . . . NEWS, ED 10, p. 30
New fears plaguing μW-oven industry . . . NEWS, ED 7, p. 20
New portability for phones coming . . . NEWS, ED 9, p. 32
New stamps mark electronics milestones . . . NEWS, ED 9, p. 44
PMOS memories turn up in phones . . . NEWS, ED 11, p. 30
Point-of-sale market rings up dramatic growth . . . NEWS, ED 19, p. 36
Quadrasonic systems getting better pickups . . . NEWS, ED 14, p. 20
Radio control built into car seat-belt . . . NEWS, ED 17, p. 19
Signetics penetrating automotive market . . . NEWS, ED 4, p. 26
TV cameras employing charge-coupled devices being readied for market . . . NEWS, ED 17, p. 26
TV industry views discs as "breakthrough of '70s' . . . NEWS, ED 11, p. 29
Tiny CCD TV camera offered commercially . . . NEWS, ED 18, p. 26
Tiny TV antenna has beam rotator . . . NEWS, ED 15, p. 23
U.S. acts to implement consumer safety rules . . . NEWS, ED 8, p. 26
U.S. prepares full-scale attack on consumer products hazards . . . NEWS, ED 9, p. 42
U.S. regulation opens a new field: electronics for antiskid braking . . . NEWS, ED 14, p. 28
Van Allen rebuts report of microwave oven peril . . . NEWS, ED 9, p. 32
Which semis for cars? Panel to debate issues . . . NEWS, ED 1, p. 27
2-way CATV system to be tested in homes . . . NEWS, ED 4, p. 26
8 Quadraphonic systems being evaluated by EIA . . . NEWS, ED 16, p. 19
$100 electronic slide rule could make it this year . . . NEWS, ED 8, p. 25

Displays

Black-white display terminals adapted for color by controller . . . IFD, ED 22, p. 112
Ceramic image-storing device can project data by reflection . . . NEWS, ED 12, p. 40
Custom LX displays for small-quantity needs . . . PF, ED 3, p. 79
Display makers debate pros and cons of 4 leading types . . . NEWS, ED 19, p. 34
Display method draws curves, not vectors, and with less data . . . NEWS, ED 22, p. 32
Feedback circuit improves electron-gun aim by limiting acceleration-voltage changes . . . IFD, ED 23, p. 134
LED array helps build a bargraph display . . . IFD, ED 21, p. 118
Liquid-crystal cell used for sonic viewing . . . NEWS, ED 26, p. 32
Liquid-crystal panel overcomes video-rate operating 'barrier' . . . NEWS, ED 12, p. 40
Liquid crystals used in holographic memory . . . NEWS, ED 5, p. 24
New TV setup allows programmed learning . . . NEWS, ED 15, p. 24
6000-line resolution planned in TV camera . . . NEWS, ED 8, p. 26

Electro-Optics

Fiber-optic modules pave way for data and control systems . . . NEWS, ED 22, p. 43
New ways to exploit an old material emerge . . . SR, ED 18, p. 76
Optically controlled PMOS logic bypasses pin-limitation problem . . . NEWS, ED 4, p. 33
Promise and the big hitch in fast, fast optical computing . . . SR, ED 6, p. 77

General Industry

Check before you freeze that design! . . . ART, ED 1, p. 90
Devices meeting will scan advances in 3 major areas . . . NEWS, ED 24, p. 27
Exporting of technology stirs a protest by labor . . . NEWS, ED 7, p. 19
FAA investigates vlf for civilian navigation . . . NEWS, ED 10, p. 25
Fivefold growth forecast for specialized carriers . . . NEWS, ED 20, p. 20
IEEE moves closer to an expanded role . . . NEWS, ED 4, p. 26
Intercon '74: The accent will be on marketing . . . NEWS, ED 19, p. 24
Japan's electronics: Industry in transition . . . SR, ED 26, p. 42
Nuclear power electronics: Industry with a long future . . . NEWS, ED 15, p. 26
One-day courses due at the IEEE show . . . NEWS, ED 5, p. 24
Paris show attracts 121 U.S. semi makers . . . NEWS, ED 10, p. 25
Rising $26.9-billion market seen for electronics in '73 . . . NEWS, ED 5, p. 23
Seminar to consider electronic thievery . . . NEWS, ED 14, p. 19
Three ways outlined to ease energy crisis . . . NEWS, ED 20, p. 20
U.S. spur to oil exploration a boost to electronics, too . . . NEWS, ED 10, p. 25
Wescon '73: Year of the comeback? . . . SR, ED 18, p. 62

Industrial Electronics

Air-pollution detection creating wide interest . . . NEWS, ED 8, p. 25
As industrial control systems grow, problems arise in controller choice . . . SR, ED 18, p. 68

Bypassing the phase capacitor helps brake reversible ac motors electrically...IFD, ED 11, p. 170
Designers compete for that snug electronic bug in a rug...NEWS, ED 20, p. 22
FAA completes Phase 1 of automation program...NEWS, ED 6, p. 26
Fighting the skyjacking menace: Anyone have a bomb detector... NEWS, ED 8, p. 36
First hybrid relay line offered for factory use...NEWS, ED 12, p. 20
IEEE meeting will focus on electronic security...NEWS, ED 19, p. 23
Industrial electronics becoming 'a way of life'; manufacturers see a year of growth ahead...NEWS, ED 2, p. 35
Lithium battery: It just might revolutionize portable power...NEWS, ED 10, p. 44
Mars photo process finding earth uses...NEWS, ED 23, p. 34
Postal modernization problems are reported...NEWS, ED 22, p. 28
Telemetry is making it big in industry as the costs tumble...NEWS, ED 4, p. 28
Ulf beacon pinpoints site of trapped miners...NEWS, ED 11, p. 29

Management

Andrew F. Kay: Once an inventor, it's hard to stop creating...SR, ED 24, p. 84
'Born' managers don't exist!... ART, ED 18, p. 138
Consider the part-time engineer... ART, ED 12, p. 100
Control projects by hours, not dollars...ART, ED 10, p. 102
Creativity—every engineer has some ...ART, ED 4, p. 76
Designing what the customer wants ...ART, ED 6, p. 132
Don't spoon-feed your engineers!... ART, ED 21, p. 108
DuMont legacy lives on, reflected in the modern CRT...SR, ED 24, p. 126
Engineering jobs: What, why and where?...ART, ED 1, p. 68
'Fashion' the company's growth... ART, ED 13, p. 120
Four ways to motivate engineers... ART, ED 9, p. 134
Gene Amdahl competition plan: Make the machine big, but keep it simple...SR, ED 11, p. 66
Getting the best inside information ...ART, ED 19, p. 86
Giving engineers the 'business'... ART, ED 23, p. 122
Good managers are made...ART, ED 17, p. 76
Is Monte Carlo worth the gamble? ...ART, ED 3, p. 66
Managers promote engineering 'digestion'...ART, ED 26, p. 102
Portrait of a minicomputer mastermind: Gordon Bell, engineer in a big hurry...SR, ED 11, p. 96
Putting an engineer in the wrong... ART, ED 11, p. 160
Raises: How often and how much? ...ART, ED 8, p. 110
Stop stumbling over internal reports! ...ART, ED 25, p. 130
They'd rather switch than take flight ...ART, ED 16, p. 90
Time-managed meetings are a must! ...ART, ED 22, p. 104
Try getting it all together...ART, ED 7, p. 58
What ails electronics management? ...ART, ED 15, p. 58
You'll turn out good products for less...ART, ED 20, p. 104

Materials and Packaging

Connector and semi makers weigh alternatives of high-priced gold ...NEWS, ED 22, p. 34
Don't overload those connectors... ART, ED 20, p. 90
Dust filters can block cooling air ...ART, ED 23, p. 108
Ferrite-bead specs permit precise attenuation matching...PF, ED 19, p. 114
FOCUS on Connectors for PCs and substrates...SR, ED 5, p. 50
FOCUS on High temperature materials...SR, ED 22, p. 54
FOCUS on Materials...SR, ED 8, p. 74
Heat pipes carry heat from component to sink...PF, ED 13, p. 150
LSI circuit connector used with thick films...NEWS, ED 10, p. 26
Lithium battery uses inorganic electrolyte...NEWS, ED 19, p. 24
New material simplifies making of ceramic parts...NEWS, ED 5, p. 24
New material spurs superconductor hopes...NEWS, ED 21, p. 27
Plastic semi packages may rival hermetics...NEWS, ED 12, p. 20
Superconducting magnet yields 165,000 oersteds...NEWS, ED 25, p. 25
Tape-automated bonding pushed as replacement for chip-and-wire... NEWS, ED 13, p. 52
Thick-film networks starting to take off...NEWS, ED 9, p. 31
Thin, copper-clad laminate replaces ceramics in hybrids...PF, ED 24, p. 217
Universal plug-in PC board eases component mixing...PF, ED 21, p. 146
Voice-coil-driven laser trimmer offers accuracy to ±0.005% and mΩ-MΩ range...PF, ED 8, p. 148
Wrap-around cabinets meet tight production tolerances...PF, ED 14, p. 87

Medical Electronics

Consumerism and the makers of medical electronics coiiide... NEWS, ED 5, p. 26
Design may be a success, but product may die unless you're qualified...SR, ED 18, p. 66
Insulin 'pacemaker' for diabetics sought...NEWS, ED 25, p. 25
Multiple medical pack a NASA spinoff...NEWS, ED 24, p. 28
Top medical care for rural areas planned via electronics network ...NEWS, ED 5, p. 34
Ultrasonic probe sought to show heart damage...NEWS, ED 21, p. 28

Military & Aerospace

ACES: New electrical system for space...NEWS, ED 16, p. 40
AF automates watch on celestial events...NEWS, ED 1, p. 27
AF data link to use time-shared system...NEWS, ED 23, p. 27
AF presses design of 'flying computer'...NEWS, ED 24, p. 28
AF tests radio waves in 'whispering gallery'...NEWS, ED 15, p. 23
Abdominal flying tested for Navy... NEWS, ED 6, p. 26
Air Force continues push toward laser communication satellite net ...NEWS, ED 17, p. 28
Air Force to develop low-accuracy guidance...NEWS, ED 17, p. 19
Aneroid altimeter gives way finally to a computerized electronics one...NEWS, ED 10, p. 46
Bubble memory planned for recording in space...NEWS, ED 21, p. 27
CMOS makes possible digital navigation system...NEWS, ED 20, p. 19
Design in the 1980s: How NASA sees its equipment shaping up... NEWS, ED 16, p. 42
Electronic flying passes initial Air Force test...NEWS, ED 5, p. 23
Iran seeking to buy U.S. 'smart' bombs...NEWS, ED 6, p. 25
It's a leaner Fort Monmouth today—but a better R&D operation... SR, ED 18, p. 38
'Largest' TV tube developed by AF ...NEWS, ED 14, p. 20
Laser airspeed meter being tested by NASA...NEWS, ED 1, p. 28
Laser gets hotter in military application...NEWS, ED 18, p. 26
Mideast War is forcing changes in American military electronics... NEWS, ED 25, p. 42
NASA aims to hold the line with a $3.4-billion budget...NEWS, ED 2, p. 21

Navy miniaturizes radio mike and earphone...NEWS, ED 10, p. 42
Navy to try fiber optics instead of wiring...NEWS, ED 14, p. 19
New avionics may help counter jet noise...NEWS, ED 7, p. 19
New MIL spec-cost; Designers must meet it...NEWS, ED 8, p. 52
New spacecraft system to cut fuel use in half...NEWS, ED 16, p. 20
Ready for man's longest stay in space...NEWS, ED 8, p. 28
'See all' Navy radar tracks multiple targets...NEWS, ED 8, p. 25
Sensitive IR bolometer developed for military...NEWS, ED 16, p. 20
Skylab crew ready if gyros malfunction...NEWS, ED 17, p. 19
U.S. speeding weapons R&D to match Soviet advances...NEWS, ED 26, p. 31
U.S. still favors solar cells despite Skylab difficulties...NEWS, ED 12, p. 19
U.S. weighs Israeli request for latest ECM equipment...NEWS, ED 23, p. 27
'Underground' radar resolves to one inch... NEWS, ED 22, p. 28
'Who is it?' machine sought by Air Force...NEWS, ED 6, p. 26
4-billion hike in defense spending due, with little if any of it trickling into R&D...NEWS, ED 2, p. 32
$13-billion spending by Pentagon forecast...NEWS, ED 14, p. 19

Semiconductors

Active diodes crowding Gunns in noise, power and efficiency... NEWS, ED 7, p. 22
Acoustic-wave structure blends digital MOS and hybrid features... NEWS, ED 18, p. 32
Adjustable logic-delay circuit covers 40-μs to 375 ms with one control...IFD, ED 25, p. 146
Adjustable sine wave audio oscillator employs improved agc for wide frequency range...IFD, ED 4, p. 82
Advances in resistor fabrication yield monolithic 10-bit DACs... SR, ED 6, p. 34
Amorphous metallic films promise easy-to-make bubble memories... NEWS, ED 5, p. 32
Analog methods may yield denser computer memories...NEWS, ED 6, p. 25
Analog multiplication or amplitude modulation are provided by a single MOSFET...IFD, ED 1, p. 98
Analog switches replace reed relays ...ART, ED 13, p. 98
BCD decade counter exceeds 600 MHz, uses only 420 mW...PF, ED 4, p. 91
Bell Labs' new thin-film hybrid may be most complex ever built... NEWS, ED 15, p. 34
Bi-directional interval timer includes snap-action trip points...IFD, ED 25, p. 142
Binary adder technique recognizes m out of n bits...IFD, ED 16, p. 98
Biphase data transmission system uses IC one-shot as converter and doubler...IFD, ED 8, p. 128
Blend ECL and TTL ICs...ART, ED 6, p. 112
'Blue sky' amorphous memory ready for down-to-earth uses...NEWS, ED 16, p. 22
Boost CMR in differential...ART, ED 20, p. 94
Boost counting speed to 11 MHz ...ART, ED 7, p. 42
Bubble memory developed in lab, and it appears to be a success... NEWS, ED 9, p. 40
Bubble memory-logic chip? IBM heads toward that goal...NEWS, ED 12, p. 33
Bubble-memory material promises faster readout...NEWS, ED 23, p. 27
Bucket-brigade MOS ICs delay analog signals...PF, ED 8, p. 135
Build a wideband phase-locked loop ...ART, ED 18, p. 112
Build power amplifiers with IC drivers...ART, ED 21, p. 80
Build stable frequency synthesizers ...ART, ED 12, p. 76
Build the n-flop, a multiple pulse-input, level-output device that uses simple gates...IFD, ED 17, p. 84
CCDs are breaking new ground as analog signal processors... NEWS, ED 25, p. 28
CMOS and bipolar on chip drive LED numeric display...PF, ED 8, p. 138
CMOS logic elements interface easily ...ART, ED 5, p. 66
Chopper-stabilized amp shrunk by new process...NEWS, ED 12, p. 19
Chopper-stabilized op amp goes monolithic...NEWS, ED 18, p. 25
Chopper-stabilized op-amp IC reduces drift to 0.2 μV/°C...PF, ED 19, p. 100
Chopper stabilized op amp now fits in a 14-pin DIP...PF, ED 13, p. 136
Chroma demodulator chip makes low-distortion AM detector...IFD, ED 24, p. 196
Circuit based on four-bit addition finds average value of BCD numbers...IFD, ED 23, p. 130
Cut component count...ART, ED 19, p. 76
Diffused junction gives rms-to-dc conversion...NEWS, ED 8, p. 25
Digital watch advances disclosed by Intersil...NEWS, ED 18, p. 25
Divide by n with the 7490...ART, ED 8, p. 106
ECL-gate propagation delay cut to 0.91 ns or less...PF, ED 25, p. 182
EFL, a new logic family for LSI, promises to ease designer's job ...NEWS, ED 6, p. 30
Eight-bit a/d converter is smallest available in size, price and power ...PF, ED 24, p. 244
Fast BCD/binary conversions:... ART, ED 22, p. 84
Fastest IC op-amp settling time, 1 μs to 0.01%, given by 10-MHz unit...PF, ED 6, p. 94
Fivefold boost in diode speed... NEWS, ED 10, p. 41
Flexible power switch/amp IC delivers 10 W of peak power...PF, ED 1, p. 105
Floating voltage regulator helps build high-compliance current source...IFD, ED 10, p. 108
FOCUS on IC voltage regulators... SR, ED 14, p. 46
FOCUS on Power semiconductors ...SR, ED 23, p. 80
FOCUS on RF transistors...SR, ED 3, p. 46
Four-bit microprocessor cycles instructions in 5 μs...PF, ED 5, p. 94
Generate low-distortion sine waves ...ART, ED 14, p. 70
Get square-wave tone bursts with a single timer IC...IFD, ED 18, p. 148
Get wider dynamic range in a log amp...ART, ED 4, p. 60
Get ±0.02% full-scale VCO accuracy...ART, ED 6, p. 126
'Glitchless' hybrid-IC DAC has 500-mA drive capability...PF, ED 16, p. 118
High-frequency clock helps extract vertical sync signal...IFD, ED 15, p. 104
High-speed shift registers use TTL RAMs and counters to do all the shifting...IFD, ED 18, p. 146
IC op amp slew rate soars to 320 V/μs...PF, ED 22, p. 128
Improve avalanche-photodiode designs...ART, ED 15, p. 68
Improve fast-logic designs...ART, ED 10, p. 90
Improve op-amp audio circuits... ART, ED 20, p. 68
Increase bandwidth of cascaded synchronous counters to 35 MHz ...IFD, ED 1, p. 100
Increase phototransistor bandwidth ...ART, ED 8, p. 102
Ion-implanted diodes switch 1 to 30 A in 25 ns or less...PF, ED 12, p. 127
It's a year for bubble memories; Prototypes will appear shortly... NEWS, ED 3, p. 22

Japanese IC metallization method hailed as reliability 'breakthrough' ...NEWS, ED 13, p. 54

Largest programmable ROM stores 4096 bits and has 70-ns max access time...PF, ED 19, p. 99

Latest quad op amp needs only one supply...NEWS, ED 3, p. 20

Lift IC op-amp performance...ART, ED 4, p. 66

Line receiver rejects common-mode spikes but employs only 2 flip-flops...IFD, ED 4, p. 86

Linearize your v/f converter...ART, ED 23, p. 112

Low-cost IC contains complete log amplifier...PF, ED 17, p. 102

MNOS memory upstaging MOS and fixed heads in some areas... NEWS, ED 18, p. 28

MOS memories seen at 16,000 bits per chip...NEWS, ED 3, p. 19

MOS/LSI modem replaces expensive bipolar type...NEWS, ED 19, p. 43

Make a true-rms-to-dc converter, using only one IC multiplier and an op amp...IFD, ED 21, p. 116

Materials seminar due in semiconductor field...NEWS, ED 18, p. 25

Matrix approach cuts component count for decoding digital words ...IFD, ED 14, p. 76

Microprocessors, building blocks for logic design, maintain hot pace ...SR, ED 18, p. 70

Motorola offers prizes for innovative design...NEWS, ED 16, p. 20

NMOS and CMOS are surging forward in drive to dominate semiconductor scene...NEWS, ED 1, p. 31

Need an inverter? Use a spare J-K flip-flop...IFD, ED 13, p. 132

New IBM semis aim for terahertz range...NEWS, ED 24, p. 27

New TI courses to cover 3 fields... NEWS, ED 17, p. 20

New processing and design tricks skyrocket the performance of LSI ...SR, ED 6, p. 68

Nondifferential phase inverter offers balanced-output Z with 2 transistors...IFD, ED 19, p. 94

Nonselective frequency tripler uses transistor saturation characteristics...IFD, ED 17, p. 86

One-shot timing circuit blocks EMI pulses that cause counting errors ...IFD, ED 22, p. 110

Op-amp summer modifies VCO chip for clean sine wave operation... IFD, ED 9, p. 140

Optical devices get JEDEC numbers ...NEWS, ED 7, p. 20

PLAs replace ROMs for logic designs...ART, ED 22, p. 66

Phase-lock indicator operates with either periodic or PCM inputs... IFD, ED 6, p. 140

Phase-locked loop helps generate waveforms with variable duty cycle or phase shift...IFD, ED 19, p. 90

Programmed logic array puts 16-bit mini in economy class...NEWS, ED 10, p. 28

Programmed logic array replaces 131 k bits of ROM...PF, ED 12, p. 124

Projectile fuze first to use MNOS circuits...NEWS, ED 16, p. 19

Protect op amps from overloads... ART, ED 10, p. 96

Protect series-pass transistors... ART, ED 25, p. 82

Quad-linear ICs racing up the pike, paced by automotive applications ...NEWS, ED 21, p. 32

Quad op-amp comparators allow continuous monitoring of two inputs...IFD, ED 7, p. 82

Quad op amp IC operates from a single power supply...PF, ED 20, p. 120

Reduce system noise with CMOS circuits...ART, ED 25, p. 112

Resistive bridge and op amp form a multiplying DAC...IFD, ED 19, p. 92

Retriggerable one-shot prevents false triggering of PLL tone detector ...IFD, ED 1, p. 102

SCR turn-off problem eliminated in rapid-fire stroboscope trigger... IFD, ED 22, p. 116

SOS central processor makes debut in a mini...NEWS, ED 26, p. 31

Schmitt trigger provides switch drive and regulation for power supply...IFD, ED 15, p. 106

Series SCR lamp flasher operates with a wide range of loads... IFD, ED 5, p. 84

Shift option improves handling of binary counter data...IFD, ED 7, p. 84

Shortcomings noted in solid-state surger...NEWS, ED 13, p. 26

Shorter, more compact show salutes transistor...SR, ED 6, p. 66

Silicon rectifier unit can operate at 500 F...NEWS, ED 19, p. 23

Simplify amplifier selection...ART, ED 16, p. 72

Single diode extends duty-cycle range of astable circuit built with timer IC...IFD, ED 5, p. 80

Single supply runs op-amp circuit ...ART, ED 25, p. 124

Single-transistor cell reaching for first place in MOS memories... NEWS, ED 6, p. 28

Soviet acting to get IC process capability...NEWS, ED 4, p. 25

Stereo IC with all functions on chip, simplifies quadraphonic decoding ...PF, ED 2, p. 82

Successive-approximation a/d converters fit 40-pin DIPs and offer many options...PF, ED 22, p. 121

System designers feel impact of semiconductor memories... NEWS, ED 19, p. 32

Temporal-priority circuit latches after receipt of first input signal ...IFD, ED 23, p. 132

Tiny modular op amp slews and settles in a hurry...PF, ED 18, p. 94

Transistor and two resistors reduce noise and widen bandwidth of 101/748 op amps...IFD, ED 14, p. 78

Two offbeat technologies invade the burgeoning field of memories... NEWS, ED 14, p. 22

Two very-low power CMOS ICs detect tone-signaling frequency shifts... IFD, ED 13, p. 126

Two-wire line-drivers come in TO-packages...PF, ED 24, p. 221

UV process speeds photoresist removal...NEWS, ED 1, p. 27

Unconventional uses for IC timers ...ART, ED 12, p. 84

Unijunction oscillator helps increase range of monolithic timer without use of big capacitors...IFD, ED 22, p. 114

Unusual filter concept promises high-Q, low-frequency IC device ...NEWS, ED 17, p. 22

Use a quad amplifier IC to handle transducer bridge signals...IFD, ED 3, p. 74

Use current-mode IC amplifiers... ART, ED 2, p. 48

Use thyristor switches for proportional...ART, ED 23, p. 118

Users demand and get higher reliability ICs...NEWS, ED 2, p. 22

Variable-modulus ICs simplify PLLs for 200 MHz...PF, ED 8, p. 136

Voltage-to-frequency converter constructed with few components is accurate to 0.2%...IFD, ED 13, p. 124

Volume compressor with 50-dB range built around single op amp ...IFD, ED 10, p. 110

Which voltage regulator is best?... ART, ED 25, p. 92

Wideband nonsaturating multivibrator features nanosecond rise and fall times...IFD, ED 26, p. 112

Year of MNOS is coming, with 4-k bit RAMs and more...NEWS, ED 9, p. 34

2-component RC network initializes CMOS registers...IFD, ED 21, p. 118

3 years after birth, CCDs head for first commercial applications... NEWS, ED 1, p. 36

4-bit BCD adder and arithmetic unit perform faster with less power... PF, ED 6, p. 156

8-k CCD memory chips due to replace discs...NEWS, ED 15, p. 23

14-pin ceramic DIP holds matched op-amp pair...PF, ED 13, p. 135

30-MHz power transistors yield more watts per dollar...PF, ED 20, p. 122

100-V/μs slew rate available in a

high-voltage FET op amp...PF, ED 9, p. 149

Test & Measuring

Analog divider simplifies ac ratio meter and yields ±0.2-dB measurement accuracy...IFD, ED 2, p. 72

Analogs aren't dead, but they're facing a digital onslaught...SR, ED 24, p. 108

Be on guard when using DVMs...ART, ED 12, p. 70

Bench instruments or systems, they come with high IQs...SR, ED 24, p. 132

Calculate receiver sensitivity...ART, ED 25, p. 118

Catch a transient pulse—store it, display it and digitize it...PF, ED 17, p. 92

Compute the noise figure...ART, ED 4, p. 72

DPM automatically switches range: It's an industry first...PF, ED 18, p. 84

DPMs vs analog meters...ART, ED 24, p. 158

DVMs aren't what they used to be ...ART, ED 24, p. 166

DVMs can do more than measure ...ART, ED 21, p. 102

Data storage improves with new magnetic and paper tape units ...SR, ED 24, p. 140

Detector gives computer warning of ac power-line failure in 150 μs ...IFD, ED 26, p. 108

Digital and analog printout given simultaneously by single device ...NEWS, ED 13, p. 56

Digital logic give rise to three devices for easing design work... SR, ED 24, p. 66

Digital readout sig gen stretches peak FM deviation...PF, ED 6, p. 80

Don't be strangled...ART, ED 26, p. 86

Don't clobber your circuit...ART, ED 24, p. 178

Don't eyeball noise...ART, ED 24, p. 184

Don't get burned!...ART, ED 5, p. 72

Dual comparator and R-C filter estimate probability density functions ...IFD, ED 4, p. 84

Easy way to match impedances... ART, ED 5, p. 76

Electron microscope method promises 10-Å resolution...NEWS, ED 21, p. 39

Energy meter improves aircraft performance...NEWS, ED 23, p. 65

Equipment is getting faster and smaller and much more digital ...SR, ED 24, p. 90

FOCUS on Digital multimeters... SR, ED 16, p. 58

FOCUS on Pulse and word generators...SR, ED 11, p. 128

FOCUS on Signal generators and synthesizers...SR, ED 10, p. 62

For versatility and wide choice, try the bargain counters...SR, ED 24, p. 118

Give it a whack!...ART, ED 7, p. 54

H-P will market automobile analyzer ...NEWS, ED 17, p. 20

High-speed counter-timer carries a low price tag... PF, ED 10, p. 114

Hung up on synthesizer specs?... ART, ED 15, p. 96

ICs give automatic selection of range for frequency counters...IFD, ED 17, p. 82

Improve optical measurement accuracy...ART, ED 26, p. 92

Instrument interfacing can be done —but it takes a bit of doing... SR, ED 24, p. 74

Integrate-and-hold circuit gives electro-chemical measurements ...IFD, ED 1, p. 96

Integrate with a DMM?...ART, ED 22, p. 92

Integrate with a function generator ...ART, ED 26, p. 96

Intruder alarm is based on electrostatic charge detection...IFD, ED 9, p. 142

Is it convenient to use? Gains are being made outside and inside ...SR, ED 24, p. 56

LEDs check transient response of sensors...NEWS, ED 23, p. 63

Lightweight 15-MHz scope sells for just $500...PF, ED 24, p. 230

Logic analyzer displays up or downstream data bits...PF, ED 7, p. 89

Measure GHz power and freq with only one instrument...PF, ED 24, p. 224

Measure vhf-FM receiver sensitivity ...ART, ED 26, p. 78

Measure random-pulse frequencies ...ART, ED 13, p. 114

Measuring system uses white noise to indicate temperature from 10 to 2500 °K...IFD, ED 24, p. 190

Modular function generators output waveshapes to 1 MHz...PF, ED 17, p. 108

Multi-testers have many benefits, but there are disadvantages, too ...SR, ED 18, p. 64

New IR source offered for air pollution testing...NEWS, ED 26, p. 32

New generators are sharp setters, and they keep quiet...SR, ED 24, p. 98

Optical isolators provide diverse functions in signal-detector circuit...IFD, ED 12, p. 104

Plug-ons extend versatility of DMM measuring system...PF, ED 2, p. 86

Portable DMM responds to rms instead of average...PF, ED 18, p. 86

Precision, precision: Federal bureau sets the pace for industry...SR, ED 24, p. 146

Precision resistance-ratio detector gives 0.5% accuracy for less than $3...IFD, ED 22, p. 114

Programmable current generator has linear response and ignores power variations...IFD, ED 21, p. 120

Quiet breakthroughs for the designer's indispensable tools...SR, ED 24, p. 38

Reference axis without optics? Rf coil's magnetic field provides it ...NEWS, ED 15, p. 38

Reject common-mode noise...ART, ED 9, p. 120

Select digital testers systematically ...ART, ED 24, p. 172

Shedding light on LED luminance ...ART, ED 8, p. 92

Simplify small-lamp selection... ART, ED 22, p. 74

Single-digit readout offers range of 95 dB with 0.002% resolution... IFD, ED 6, p. 142

Single-slope conversion makes cool, tough DPM...PF, ED 5, p. 90

Skinny 3-1/2 digit DPM offers fat performance, low cost...PF, ED 4, p. 100

Standard predicted for instrument interface...NEWS, ED 2, p. 21

Swing to the digital raises problems; 'Smart' hardware growing popular...SR, ED 6, p. 72

Thin-film effect points to new photodetectors...NEWS, ED 18, p. 25

Those dazzling advances depend on industry-wide teamwork...SR, ED 24, p. 40

Tiny CMOS counters rival electromechanical imports...PF, ED 6, p. 82

Two amplitude measurements determine unknown phase angle... IFD, ED 7, p. 86

Unmanned observatory would detect A-blasts...NEWS, ED 25, p. 26

Wideband circuit fits curves with straight-line segments...IFD, ED 6, p. 136

With LSI, you'll get more instrument punch in a much smaller package at a lower price...NEWS, ED 1, p. 30

3-1/2 digit autoranging multimeter fits in the palm of a hand...PF, ED 18, p. 82

4-1/2 digit DMM resolves 1 μV on signals to 20 mV...PF, ED 5, p. 87

500 MHz synthesizer switches in under 100 μs...PF, ED 24, p. 229